

**Health Facts 1: Mid-year 2008 estimates of resident population by age<sup>1</sup>**

Source: National Centre for Health Outcomes Development, NHS Health and Social Care Information Centre

Area		0-4 years	5-14	15-34	35-64	65-74	75+	Total
Leicester	Total	22,774	33,043	98,846	102,458	18,006	17,563	294,690
	%	7.7%	11.9%	33.5%	34.8%	6.1%	6.0%	100.0%
East Midlands	Total	255,413	504,704	1,130,031	1,811,031	383,417	348,404	4,433,000
	%	5.8%	11.4%	25.5%	40.9%	8.6%	7.9%	100.0%
England	Total	3,129,287	5,903,977	13,562,429	20,565,328	4,273,740	4,011,467	51,446,228
	%	6.1%	11.5%	26.4%	40.0%	8.3%	7.8%	100.0%

**Population projections for Leicester up to 2031 (figures in thousands)**

Source: Office of National Statistics, 2008-based Population projections

Year	Age group (years)							Total
	0-4	5-14	15-34	35-64	65-74	75-84	85+	
2011	24.7	36.5	111.2	107.5	18.2	12.2	5.2	315.5
2016	26.2	41.6	115.5	111.8	20.2	12.5	5.5	333.3
2021	27.1	45.5	116.1	118.8	22.7	13.1	6.1	349.4
2026	27.3	47.2	117.7	125.1	24.6	15.1	7.2	364.2
2031	27.5	48.2	121.4	129.3	26.9	17.0	8.3	378.6

\* figures may not sum due to rounding

## Health Facts 2: Maternal, Child Health and Screening

Source: Office of National Statistics, National Centre for Health Outcomes Development, Health and Social Care Information Centre

### Births and conceptions (2008)<sup>1</sup>

	Leicester	East Midlands	England
<b>Total births</b>	5215	54447	676236
<b>Live births</b>	5176	54192	672809
<b>Still births</b>	39	255	3427
<b>% low birth weight (&gt;1500g and &lt;2,500g)</b>	9.2	7.4	7.5
<b>% very low birth weight (&lt;1,500g)</b>	1.5	1.4	1.4
<b>General fertility rate</b>	74.0	61.3	63.9
<b>Under 18 conception rate (per 1,000 females aged 15-17 years)</b>	48.6	39.6	40.4

### Deaths (2008)<sup>1</sup>

	Leicester	East Midlands	England
<b>Stillbirth rate</b>	7.5	4.7	5.1
<b>Perinatal mortality rate</b>	10.9	7.4	7.6
<b>Infant mortality rate</b>	7.2	5.2	4.8

- Significantly better than the national rate (100)
- Significantly worse than the national rate (100)

### Childhood Immunisations (2009-10)


Source: Health Protection Agency, COVER data


	Percentage of children immunised by their second birthday		
	Leicester	East Midlands	England
Diphtheria, Tetanus, Polio, Pertussis & Hib	96.4	96.6	95.3
Measles, Mumps, Rubella	90.1	89.7	88.2
Meningitis C	97.1	96.6	94.2
	Percentage of children immunised by their fifth birthday		
Diphtheria, Tetanus, Polio, Pertussis	97.3	95.2	94.0
Diphtheria, Tetanus, Polio, Pertussis Booster	89.2	86.8	84.8
HIB	94.6	93.4	93.1
Measles, Mumps, Rubella (first dose)	95.0	92.3	91.0
Measles, Mumps, Rubella (first and second dose)	87.6	85.6	82.7

### Screening Coverage (2009-10)

Source: NHS Health and Social Care Information Centre, Community Health Statistics

	Leicester	East Midlands	England
Breast Screening uptake	75.1	81.7	76.9
Cervical Screening uptake	76.3	82.1	78.9

 Significantly better than the national rate (100)

 Significantly worse than the national rate (100)

### Health Facts 3: Mortality rates



Source: National Centre for Health Outcomes Development, NHS Health and Social Care Information Centre

#### Mortality rates in males

Cause of death	ICD 10	No. deaths in Leicester 2008	Standardised Mortality Ratio (Indirect) 2006-8 pooled, for all ages			Directly age-standardised rate 2006-8, for all ages			2006-8, for under 75 yr olds		
			England	East Midlands	Leicester	England	East Midlands	Leicester	England	East Midlands	Leicester
			SMR	SMR	SMR	DSR	DSR	DSR	DSR	DSR	DSR
Coronary heart disease	I20-I25	246	100.0	102.5	136.8	126.5	129.0	177.7	65.5	65.5	106.3
Cerebrovascular disease (stroke)	I60-I69	99	100.0	98.7	114.9	48.6	47.8	57.1	15.7	14.6	22.3
All cancers	C00-C97	303	100.0	99.9	100.3	207.4	207.1	206.2	126.3	125.2	122.2
All accidents	V01-X59	36	100.0	114.8	109.7	21.4	24.9	24.6	16.8	19.9	19.9
All accidental falls	W00-W19	18	100.0	94.6	193.3	4.7	4.4	9.6	2.6	2.5	6.2
Road traffic accidents	V01-V89	9	100.0	127.9	83.0	7.5	9.8	6.2	7.3	9.9	5.8
Suicide and undetermined death	X60-X84, Y10-Y34 exc Y33.9	27	100.0	96.0	125.1	12.0	11.4	14.7	11.9	11.3	14.5
Bronchitis, Emphysema & Chronic obstructive Pulmonary Disease	J40-J44	80	100.0	98.4	134.9	34.1	33.5	47.2	14.1	13.5	24.5
Stomach and duodenal ulcer	K25-K27	11	100.0	91.5	168.1	4.2	3.8	7.0	2.2	1.9	3.3
Diabetes	E10-E14	17	100.0	109.3	143.1	7.2	7.8	11.4	3.4	3.5	7.8
Tuberculosis	A15-A19	4	100.0	93.2	357.8	0.6	0.6	2.5	0.4	0.4	1.8
Chronic liver disease	K70, K73-K74	32	100.0	89.6	129.4	14.1	12.5	18.1	13.2	11.5	21.8
All causes	A00-Y99	1244	100.0	101.4	119.9	692.3	698.7	837.9	364.5	357.9	464.3

**Mortality rates in females**


Cause of death	ICD 10	No. deaths in Leicester 2008	England	East Midlands	Leicester	England	East Midlands	Leicester	England	East Midlands	Leicester
			SMR	SMR	SMR	DSR	DSR	DSR	DSR	DSR	DSR
Coronary heart disease	I20-I25	182	100.0	102.9	128.8	58.7	60.8	83.9	20.5	21.6	38.3
Cerebrovascular disease (stroke)	I60-I69	115	100.0	99.2	107.6	45.5	45.0	51.2	15.7	14.6	22.3
All cancers	C00-C97	297	100.0	99.3	105.5	149.9	149.2	159.5	102.7	102.4	108.3
All accidents	V01-X59	38	100.0	120.5	142.1	10.4	12.1	15.1	5.8	6.3	8.1
All accidental falls	W00-W19	12	100.0	93.0	291.4	2.9	2.7	7.7	1.1	1.0	1.9
Road traffic accidents	V01-V89	0	100.0	113.3	100.1	2.2	2.7	2.2	2.0	2.5	2.0
Suicide and undetermined death	X60-X84, Y10-Y34 exc Y33.9	9	100.0	98.0	148.3	3.7	3.6	5.4	3.6	3.6	5.5
Bronchitis, Emphysema & Chronic obstructive Pulmonary Disease	J40-J44	51	100.0	93.1	101.5	21.7	20.6	23.5	10.2	9.9	13.0
Stomach and duodenal ulcer	K25-K27	12	100.0	95.6	151.2	2.8	2.6	4.2	1.1	1.1	1.7
Diabetes	E10-E14	13	100.0	108.9	124.3	5.2	5.6	6.7	2.2	2.2	2.8
Tuberculosis	A15-A19	2	100.0	99.5	340.3	0.3	0.4	1.5	0.2	0.3	1.6
Chronic liver disease	K70, K73-K74	14	100.0	91.8	106.3	7.3	6.7	8.0	13.8	12.1	18.0
All causes	A00-Y99	1286	100.0	102.1	117.1	490.6	499.6	596.0	230.4	232.4	298.7


 Significantly better than the national rate (100)  
 Significantly worse than the national rate (100)

### Health Facts 4: Cancer rates

Source: National Centre for Health Outcomes Development, NHS Health and Social Care Information Centre

Cancer rates in males				Standardised Mortality Ratio (Indirect), 2006-8 pooled, all ages			Directly age-standardised mortality rate per 100,000 (2006-8), All ages			Directly age-standardised mortality rate per 100,000 (2004-6), under 75s					1 yr survival (2000-02)	5 yr survival (2000-02)
Cause of death	ICD 10	New cases in Leicester (2004-06)	No. deaths in Leicester (2008)	England	East Mids	Leicester	England	East Mids	Leicester	England	East Mids	Leicester	LCL	UCL	EM SHA	EM SHA
				SMR	SMR	SMR	DSR	DSR	DSR	DSR	DSR	DSR	DSR	DSR	DSR	DSR
All	C00-C97	1639	303	100	99.9	100.3	207.4	207.1	206.2	126.3	125.2	122.2	110.6 2	133.75	-	-
Lung	C33-C34	320	82	100	97.1	110.0	49.7	48.1	54.7	31.9	30.7	34.5	28.27	40.68	25.4%	6.7%
Colorectal	C17- C21	211	36	100	98.7	91.0	22.2	21.9	20.4	13.4	13.1	12.8	9.05	16.56	66.9%	47.9%
Stomach	C16	64	19	100	102.4	139.1	8.0	8.2	11.4	4.5	4.6	7.5	4.60	10.36	34.1%	12.3%
Oesophageal	C15	66	15	100	104.5	99.7	12.8	13.4	12.1	8.9	9.3	6.9	4.10	9.60	35.2%	10.5%
Bladder	C67	72	10	100	102.4	95.8	8.0	8.1	7.5	3.6	3.5	3.1	1.25	4.89	79.5%	62.1%
Malignant Melanoma	C43	29	1	100	92.0	55.2	2.9	2.7	2.0	2.5	2.4	1.1	0.01	2.20	-	-
Prostate	C61	332	25	100	104.5	68.7	24.5	25.6	16.6	8.7	8.9	4.7	2.37	6.95	88.7%	69.4%
Leukaemia	C91-C95	-	10	100	100.9	70.2	6.6	6.7	4.4	4.1	4.2	2.4	0.83	3.99	-	-
Hodgkins	C81	-	2	100	102.1	144.9	0.5	0.5	0.7	0.4	0.4	0.5	0.00	1.25		

 Significantly better than the national rate (100)

 Significantly worse than the national rate (100)

Improving Health in Leicester: Annual Report of the Director of Public Health and Health Improvement 2010: Health Facts

Cancer rates in females				Standardised Mortality Ratio (Indirect), 2006-8 pooled, all ages			Directly age-standardised mortality rate per 100,000 (2006-8), All ages			Directly age-standardised mortality rate per 100,000 (2004-6), under 75s					1 yr survival (2000-02)	5 yr survival (2000-02)
		New cases in Leicester (2004-06)	No. deaths in Leicester (2008)	England	East Mids	Leicester	England	East Mids	Leicester	England	East Mids	Leicester			EM SHA	EM SHA
Cause of death	ICD 10			SMR	SMR	SMR	DSR	DSR	DSR	DSR	DSR	DSR	LCL	UCL		
All	C00-C97	1713	297	100	99.3	105.5	149.9	149.2	159.5	102.7	102.4	108.3	97.61	118.92	-	-
Lung	C33-C34	199	54	100	93.1	113.2	30.0	28.3	34.3	21.1	20.1	24.5	19.41	29.54	26.6%	7.8%
Colorectal	C17- C21	176	29	100	97.6	105.3	14.1	13.7	14.8	8.4	8.1	8.7	5.73	11.73	67.1%	48.6%
Stomach	C16	23	13	100	101.0	94.0	3.5	3.5	3.5	1.9	2.0	2.3	0.80	3.85	31.3%	15.5%
Oesophageal	C15	39	13	100	110.4	153.9	4.7	5.1	7.5	2.8	3.0	4.9	2.65	7.05	32.4%	10.4%
Bladder	C67	33	3	100	105.4	87.0	2.8	2.9	1.9	1.3	1.3	0.2	0.00	0.67	68.2%	47.8%
Malignant Melanoma	C43	32	4	100	99.0	49.4	2.0	2.1	0.6	1.6	1.7	0.2	0.00	0.67	-	-
Breast	C50	543	45	100	103.3	100.7	26.8	27.4	28.6	20.6	20.8	22.8	17.90	27.78	93.9%	79.7%
Cervical	C53	48	4	100	95.7	156.9	2.3	2.2	3.8	2.0	1.9	3.2	1.39	5.09	80.6%	65.2%
Leukaemia	C91- C95	-	8	100	93.3	93.0	3.7	3.5	3.2	2.3	2.2	1.6	0.31	2.91	-	-
Hodgkins	C81	-	2	100	93.5	219.3	0.4	0.3	0.6	0.3	0.3	0.3	0.00	0.75	-	-

\*not age-standardised

- Significantly better than the national rate (100)
- Significantly worse than the national rate (100)

### Health Facts 5 - Health Targets for Leicester

Source: East Midlands Strategic Health Authority, National Centre for Health Outcomes Development, Health Care Commission, Health Protection Agency

Note: This section refers to previous government targets important for public health. They are noted here as a matter of record, as we move towards the proposed new outcomes framework for public health.

				Leicester City PCT	
	Aim	Indicator	Target Ref	Current position	Target 2009-10
<b>Reduce health inequalities by 10% by 2010 as measured by infant mortality and life expectancy</b>					
<b>Life Expectancy</b>	By 2010 increase life expectancy in England to 78.6 for men	Life Expectancy at birth in men		75.5 (2006-8)	78.6 (2010)
	By 2010 increase life expectancy in England to 82.5 for women	Life Expectancy at birth in women		79.9 (2006-8)	82.5 (2010)
<b>Reduce life expectancy gap between the fifth most deprived areas and the population of Leicester as a whole</b>					
<b>Infant Mortality</b>	Reduction in smoking levels during pregnancy	Percentage smoking in pregnancy	PSA06a	14.5% (2009-10)	
	Increase breastfeeding initiation	Percentage where breast feeding is initiated	PSA06b	74.2% (2009-10)	
<b>Reduce cardiovascular disease mortality rates in under 75s by at least 40%, with at least a 40% reduction in the gap between the fifth of areas with the worst health and the population as a whole</b>					
<b>Cardiovascular disease mortality and inequalities</b>	Reduce cardiovascular disease mortality rates in under 75s	Mortality rate per 100,000 directly age standardised population from heart disease and stroke and related diseases in people aged under 75	PSA01a	112.6 (2006-8)	80.7
	Blood pressure monitoring	Percentage of patients on CHD register whose last blood pressure reading measured within the last 15 months is 150/90 or less		89.4% (Mar 2010)	89.3%
	Checking cholesterol levels	Percentage of patients with CHD whose last cholesterol reading measured within the last 15 months is 5mmol or less	PSA01d	80.1% (Mar 2010)	80.8% (Mar 2010)

Improving Health in Leicester: Annual Report of the Director of Public Health and Health Improvement 2010: Health Facts

				Leicester City PCT	
	Aim	Indicator	Target Ref	Current position	Target 2009-10
<b>Reduce cancer mortality rates in under 75s by at least 20%, with at least a 6% reduction in the gap between the fifth of areas with the worst health and the population as a whole</b>					
<b>Cancer mortality and inequalities</b>	Reduce cancer mortality rates in under 75s	Mortality rate per 100,000 directly age standardised population from all cancers in people aged under 75	PSA03a	114.8 (2006-8)	108.5
<b>Smoking: Reduce the adult smoking rates to 21% or less by 2010, with a reduction in prevalence among the routine manual groups to 26%</b>					
<b>Smoking</b>	Smoking Quit levels	Smoking quitters at four-week follow-up stage	PSA08a	2484 (2009-10)	2418
	Smoking prevalence	No. of patients aged over 16 years on a GP register with recorded smoking status (yes or non-smoker)	PSA08b	201,489 (70%) (Mar 2010)	90%
<b>Sexual health: Reduce the under-18 conception rate by 50% by 2010</b>					
<b>Sexual Health</b>	Reduce teenage conceptions	Teenage conception rate per 1,000 population aged 15-17 years.	PSA11a	48.6 (2008)	29.2
	Implement a Chlamydia Screening Programme	Percentage of sexually active 16-24s opportunistically screened for chlamydia	PSA11d	26.5% (March 2010)	25%
<b>Mental Health and well-being: Substantially reduce mortality rates by 2010 from suicide and undetermined injury by at least 20%</b>					
<b>Mental Health</b>	Mortality from suicide/injury undetermined	Mortality rate per 100,000 directly age standardised population from suicide and undetermined injury	PSA05a	9.9 (2006-8)	8.7
<b>Obesity: Halt the year-on-year rise in obesity among children under 11 by 2010</b>					
<b>Obesity</b>	Childhood obesity	% of Primary School children with BMI recorded	PSA10a	88.7 % Yr R, 86.9% Yr 6 (2009-10)	88 % Yr R, 86% Yr 6
		% of Primary School children obese		10.0 % Yr R, 17.8% Yr 6 (2009-10)	11.1 % Yr R, 21.0% Yr 6 (2008-9)
	Adult obesity	Number of patients aged over 16 years on a GP register with BMI recorded in the last 15 months	PSA10b	105,806 (36.6%) (Mar 2010)	75%

**PSA:** Public Service Assessment targets set by the Department of Health that will contribute towards improving the health of the population and reducing health inequalities.

**LAA:** Local Area Agreement

**Note:** The targets shown above relate to the Local Delivery Plan 2005-2008. New targets have been set for the Vital Sign indicators within the Operational Plan 2008-2011.

**Health Facts 6: Census 2001 demographic and health indicators by electoral ward**

Source: Office of National Statistics: Census 2001

Ward Code	Ward Name	Population: Census 2001								
		Total population	% living in 5% most deprived SOAs	00-04 years (%)	05-14 years (%)	15-24 years (%)	25-44 years (%)	45-64 years (%)	65-75 years (%)	75+ years (%)
00FNNF	Abbey	12707	11.6	6.8	13.8	12.8	28.0	20.5	9.0	9.1
00FNNG	Aylestone	10804	-	5.5	11.8	12.3	30.1	22.6	8.3	9.4
00FNNH	Beaumont Leys	13849	32.5	8.5	16.5	15.5	32.8	20.0	3.6	3.1
00FNNJ	Belgrave	10305	-	6.6	16.8	15.5	29.2	20.4	6.5	5.1
00FNNK	Braunstone Park and Rowley Fields	16609	37.8	8.0	17.2	15.2	27.3	18.5	7.0	6.9
00FNNL	Castle	13453	11.1	3.2	4.5	36.8	33.6	13.0	4.0	4.8
00FNNM	Charnwood	10660	-	8.8	17.9	14.8	30.1	18.2	5.5	4.8
00FNNN	Coleman	12085	-	8.4	16.4	15.3	30.4	18.9	5.4	5.2
00FNNP	Evington	9790	-	4.7	11.7	11.7	23.3	23.7	11.4	13.5
00FNNQ	Eyres Monsell	11233	13.4	7.5	16.4	12.7	25.8	19.0	9.7	8.9
00FNNR	Fosse	10737	-	6.6	11.1	15.6	34.3	19.3	6.5	6.6
00FNNS	Freemen	9984	41.7	7.0	14.1	23.8	29.0	16.3	5.3	4.6
00FNNT	Humberstone and Hamilton	11885	-	7.5	13.3	12.0	30.5	20.3	8.6	7.7
00FNNU	Knighton	16260	-	5.6	11.4	15.4	28.1	22.4	8.0	9.1
00FNNW	Latimer	11584	11.4	6.5	15.5	14.3	29.6	21.5	7.3	5.4
00FNNX	New Parks	16013	18.6	7.8	16.8	13.2	26.5	19.5	7.6	8.6
00FNNY	Rushey Mead	15140	-	6.0	14.1	13.5	29.8	24.1	7.1	5.4
00FNNZ	Spinney Hills	21256	26.7	9.3	17.2	17.6	30.4	17.0	5.1	3.4
00FNPA	Stoneygate	17068	-	6.7	14.3	22.3	28.7	18.8	5.2	3.8
00FNPB	Thurncourt	9930	-	6.2	14.2	11.3	24.8	22.1	11.1	10.3
00FNPC	Westcotes	8651	-	4.8	7.3	30.6	35.4	13.1	4.5	4.3
00FNPD	Western Park	9884	-	5.1	10.8	14.4	31.1	20.7	7.2	10.7
00FN	Leicester City	279887	10.5	6.8	14.0	16.7	29.4	19.5	6.9	6.6
E	England	49138831		6.0	12.9	12.2	29.3	23.8	8.3	7.5

Improving Health in Leicester: Annual Report of the Director of Public Health and Health Improvement 2010: Health Facts

Ward Code	Ward Name	Total population	Ethnicity					Health		Socio-economic			
			White	Asian/ British (%)	Black/ British (%)	Mixed (%)	Other (%)	Number reporting health as "Not good" (%)	People with Limiting long term illness (%)	Number unemployed (%)	Households with no car (%)	Households Rented (%)	Households over crowded (%)
00FNNF	Abbey	12707	81.1%	14.2%	2.0%	2.1%	0.6%	11.9	21.2	9.8	41.5	44.9	7.7
00FNNG	Aylestone	10804	92.6%	4.0%	1.5%	1.3%	0.6%	10.1	19.1	4.7	30.6	25.1	4.8
00FNNH	Beaumont Leys	13849	78.2%	12.2%	4.6%	4.0%	1.0%	9.0	16.8	9.4	35.8	48.4	10.1
00FNNJ	Belgrave	10305	26.1%	69.0%	1.7%	2.6%	0.6%	11.9	20.0	9.3	39.1	43.8	16.7
00FNNK	Braunstone Park + Rowley Fields	16609	86.1%	9.7%	1.7%	2.3%	0.3%	11.7	20.7	9.6	46.3	56.8	7.7
00FNNL	Castle	13453	75.7%	13.3%	5.5%	2.2%	3.3%	8.0	14.8	7.2	47.5	60.6	18.6
00FNNM	Charnwood	10660	53.4%	36.4%	5.5%	3.9%	0.7%	11.6	19.6	12.3	49.4	56.6	13.4
00FNNN	Coleman	12085	38.4%	53.6%	4.7%	2.7%	0.5%	10.4	17.9	9.7	41.4	42.9	14.2
00FNNP	Evington	9790	58.5%	35.6%	3.0%	2.2%	0.8%	10.1	21.2	6.0	26.5	24.0	7.4
00FNNQ	Eyres Monsell	11233	94.7%	1.9%	1.1%	2.0%	0.3%	12.2	22.8	9.1	46.1	53.7	8.1
00FNNR	Fosse	10737	84.6%	10.1%	2.4%	2.2%	0.7%	9.0	16.4	5.6	35.7	29.8	5.2
00FNN S	Freemen	9984	87.2%	4.6%	3.3%	3.1%	1.7%	10.1	18.6	8.2	44.5	57.9	8.4
00FNN T	Humberstone and Hamilton	11885	75.3%	20.5%	1.6%	1.9%	0.7%	9.0	17.9	5.0	28.7	31.1	5.3
00FNN U	Knighton	16260	76.1%	18.8%	1.8%	2.1%	1.2%	7.2	15.5	4.0	20.8	19.3	6.7
00FNN W	Latimer	11584	17.3%	79.1%	1.4%	1.7%	0.5%	12.7	21.2	9.9	42.4	40.3	17.9
00FNN X	New Parks	16013	91.5%	3.8%	1.7%	2.6%	0.3%	11.8	21.9	9.8	46.8	55.8	5.9
00FNN Y	Rushey Mead	15140	38.5%	57.7%	2.0%	1.5%	0.3%	10.0	18.2	6.4	22.2	15.7	12.3
00FNN Z	Spinney Hills	21256	17.6%	72.4%	6.9%	2.2%	0.9%	10.3	18.1	13.0	47.2	53.1	21.6
00FNPA	Stoneygate	17068	32.8%	58.9%	5.1%	2.5%	0.8%	9.4	16.4	8.5	36.0	39.9	14.2
00FNPB	Thurncourt	9930	83.0%	12.8%	1.9%	1.9%	0.3%	11.9	22.9	6.5	36.8	37.9	7.1
00FNPC	Westcotes	8651	73.7%	18.1%	3.2%	3.2%	1.8%	8.7	14.9	5.7	44.3	53.4	11.1
00FNPD	Western Park	9884	81.9%	13.5%	1.9%	1.8%	0.8%	9.0	18.4	4.6	31.0	25.7	7.5
00FN	Leicester City	279887	63.8%	29.9%	3.1%	2.3%	0.8%	10.2	18.8	7.9	38.3	42.1	10.6
E	England	49138831	90.9%	4.6%	2.3%	1.3%	0.9%	9.0	17.9	5.0	26.8	31.3	7.1

**Health Facts 6b: Local measures of Health at ward level**

Data: ONS mortality data, ONS mid-2005 population estimates, ONS conception data, ONS birth data

Ward	Code	Life expectancy		Mortality: DSR per 100,000 (all ages)		Infant Mortality rate (2006-8)	Perinatal mortality (2006-8)	Still birth rate (2006-8)	Low and very low birth weights (2006-8)	Under 18 conception rate 2006-2008	Access to Services		Lifestyle ward estimates for 16+ year olds (2010)	
		Females (2006-8)	Males (2006-8)	Coronary Heart Disease (2006-8)	Cancers (2006-8)						Elective (Apr 06-Mar 09)	Emergency (Apr 06-Mar 09)	Smoking prevalence	Adult Obesity
	Ward Name													
00FNNF	Abbey	79.2	73.2	122.5	226.2	8.5	15.4	8.4	8.8%	High	131.1	152.5	32%	19%
00FNNG	Aylestone	80.3	75.9	121.9	160.0	9.3	11.6	6.9	9.7%		120.3	125.8	27%	21%
00FNNH	Beaumont Leys	78.0	72.4	149.5	206.9	9.6	11.5	15.3	9.6%	High	126.4	149.4	28%	25%
00FNNJ	Belgrave	81.2	76.4	152.6	148.7	8.4	13.0	3.6	10.9%		99.9	125.8	20%	18%
00FNNK	Braunstone Park + Rowley Fields	77.3	72.6	150.2	249.8	8.6	14.6	13.4	11.9%	High	136.3	160.4	35%	23%
00FNNL	Castle	78.6	72.9	167.9	171.6	11.7	20.2	8.6	11.0%	High	102.4	171.3	18%	18%
00FNNM	Charnwood	80.0	74.6	129.4	179.6	4.0	11.8	9.2	11.2%		101.6	149.0	30%	22%
00FNNN	Coleman	79.4	75.7	110.5	122.0	5.7	9.5	13.3	7.4%		104.2	138.3	28%	16%
00FNNP	Evington	81.8	77.4	92.4	157.6	10.5	18.6	8.3	13.9%		113.8	117.5	16%	15%
00FNNQ	Eyres Monsell	78.9	73.5	137.1	244.0	3.7	10.9	3.6	11.3%	High	133.5	155.2	43%	32%
00FNNR	Fosse	79.9	74.5	141.8	246.6	10.9	16.8	1.2	13.5%	High	113.3	114.1	29%	16%
00FNN S	Freemen	80.8	75.5	122.1	220.5	6.5	13.7	3.7	10.3%	High	133.9	153.4	36%	20%
00FNN T	Humberstone and Hamilton	81.1	76.3	132.0	179.6	5.2	5.2	18.2	7.5%		129.6	130.6	32%	24%
00FNN U	Knighton	80.5	78.0	99.2	152.1	6.5	6.4	6.4	8.8%	Low	114.3	100.3	9%	11%
00FNN W	Latimer	82.3	76.3	132.8	100.5	9.6	14.4	6.7	10.2%	Low	95.4	110.6	12%	13%
00FNN X	New Parks	77.9	71.8	152.6	270.8	4.3	13.9	5.4	9.8%	High	131.2	163.1	38%	32%
00FNN Y	Rushey Mead	81.0	78.0	101.1	166.3	1.7	5.0	6.7	7.2%	Low	110.3	109.3	25%	15%
00FNN Z	Spinney Hills	81.9	79.2	110.3	150.8	3.4	5.1	25.3	7.7%	Low	92.8	126.8	18%	25%
00FNPA	Stoneygate	85.1	76.7	154.2	119.4	2.0	10.1	20.2	7.5%		95.6	122.2	11%	13%

Improving Health in Leicester: Annual Report of the Director of Public Health and Health Improvement 2010: Health Facts

Ward		Life expectancy		Mortality: DSR per 100,000 (all ages)		Infant Mortality rate (2006-8)	Perinatal mortality (2006-8)	Still birth rate (2006-8)	Low and very low birth weights (2006-8)	Under 18 conception rate 2006-2008	Access to Services		Lifestyle ward estimates for 16+ year olds (2010)	
		Females (2006-8)	Males (2006-8)	Coronary Heart Disease (2006-8)	Cancers (2006-8)						Elective (Apr 06-Mar 09)	Emergency (Apr 06-Mar 09)	Smoking prevalence	Adult Obesity
00FNPB	Thurncourt	80.1	74.9	133.1	181.0	9.4	9.4	1.0	7.0%		113.5	130.7	33%	18%
00FNPC	Westcotes	77.3	78.9	94.7	134.3	6.7	6.7	0.0	10.4%	High	88.5	120.5	36%	8%
00FNPD	Western Park	80.1	78.5	92.1	165.9	2.7	10.7	8.0	7.7%		97.8	105.7	20%	12%
00FN	Leicester City	79.9	75.5	126.7	178.6	7.2	12.2	7.6	10.0%	High	112.0	132.3	26%	19%
LLR	Leicester, Leicestershire & Rutland			91.7	160.8	5.7	7.6	5.1	6.7%	Low	105.2	76.1	-	-
ENG	England	82.0	77.9	89.2	173.9	4.8	7.8	6.1	7.6%	41.2			-	-

Significantly worse than the England average	
Significantly better than the England average	

Significantly worse than the Leicester average	
Significantly better than the Leicester average	

Access to services (Hospital Admissions): Directly age-standardised hospital admission rates per 100,000 population

### Health Facts 7 - Disease notifications 2009

Source: East Midlands South Health Protection Unit


Disease notifications	Leicester 2009		Leicestershire County & Rutland 2009		Leicestershire, Northamptonshire & Rutland, 2009	
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000
Campylobacter	201	68.2	628	91.7	1584	95.1
Cryptosporidium	31	10.5	90	13.1	188	11.3
E.Coli O157	3	1.0	18	2.6	28	1.7
Food poisoning	16	5.4	26	3.8	57	3.4
Gastroenteritis	3	1.0	1	0.1	4	0.2
Giardia	35	11.9	84	12.3	129	7.7
Hepatitis A	2	0.1	2	0.3	9	0.5
Hepatitis B	53	18.0	26	3.8	115	6.9
Hepatitis C	33	1.1	57	8.3	149	9.0
Hepatitis E	2	0.7	0	0.0	3	0.2
Legionella	1	0.3	3	0.4	7	0.4
Listeria	2	0.7	1	0.1	6	0.4
Malaria	5	1.7	3	0.4	10	0.6
Measles	23	7.8	49	7.2	107	6.4
Meningococcal disease	13	4.4	23	3.4	53	3.2
Mumps	253	85.9	352	51.4	809	48.6
Norovirus	38	12.9	81	11.8	145	8.7
Para-typhoid	5	1.7	1	0.1	6	0.4
Pertussis	5	1.7	50	7.3	57	3.4
Rotavirus	11	3.7	13	1.9	109	6.5
Rubella	7	2.4	26	3.8	50	3.0
Salmonella	38	12.9	68	9.9	225	13.5
Scarlet Fever	16	5.4	35	5.1	109	6.5
Shigella	2	0.7	9	1.3	22	1.3
Tuberculosis	257	87.2	60	8.8	389	23.4
Typhoid	7	2.4	0	0.0	7	0.4

Rates calculated using ONS mid-2008 population estimates.

### Health Facts 8 - Deprivation Maps

Figure 27: Deciles of Deprivation in Leicester


Source: Index of Deprivation, 2007



This shows differing deprivation within Leicester.

Figure 28: National Deciles of Deprivation

Source: Index of Deprivation, 2007



This shows Leicester's deprivation compared to England.